


德国总部 COSO Technologie Deutschland GmbH Am Wasserfall 1 DE-51570 Windeck-schladem Germany +49(0)5118973-798 www.coso-global.com

德国 COSO 科技公司

中国·COSO 高斯·营销管理中心 佛山市顺德区杏坛镇德进路 3 号 400-882-1238 www.coso.cn





COSO takes the German industrial standards as the design theory, producing the most logical and beautiful products by high quality material, ergonomics, mathematical space, rigorous manufacturing and rational beauty.

bathroom





DESIGN CONCEPT

艺术:源于生活,创造非凡

对于唯美的创造,永远不能用"事物"这个普通的词语来定义,恒久品质,品味非凡,高斯的每一件产品俨然是无与伦比的艺术品!
突破日常的功能性用途,高斯人为这些艺术品塑造出众的外形,赋予他们丰富的文化内涵,让他们成为独立的个体而存在;甚至,由于承载着主人的某种情感而拥有灵魂和生命。
所有这一切,归因于我们日常看起来最平常不过的情景——生活源于生活,让高斯的设计理念能深入人心,自然和谐。
高于生活,让高斯的设计理念能深入人心,自然和谐。
一花一世界,是生活提供了我们设计的灵感和素材,赋予我们创造非凡的机会!


Creation of aestheticism can never be defined by the common word "Things". With everlasting quality and extraordinary taste, each every product of COSO just likes an artwork that is incomparable!

Breaking through the daily functional purposes, COSOs' created outstanding appearance for these artworks, and gave them rich cultural connotations, so that they exist as independent individual; furthermore, they own soul and life by carrying some kind of emotions of the owner. All of this owes to the most common scene day to day-life.

Originating form life makes design concept of COSO deep inside the heart, naturally and harmoniously.

Higher than life makes design concept of COSO going further to draw a picture of people's future life.

The flowers and the word is the inspiration and material that life provide to us and gave us the opportunity to create extraordinary!



MATERIAL AND APPEARANCE

1.2mm

10K

不锈钢型材 / Stainless steel sectional material

304# 不锈钢触感硬朗,富浓烈的金属质感,是一种十分前卫时尚的淋浴房材料。1.2mm 以上加厚设计,承重力极佳,不易变形,耐腐蚀性强。完美展现精磨的 10K 镜面效果,持久光亮如新!

SS304 has a tough sense of touch and strong metallic texture, so it is a kind of advanced and fashion material for the shower room. It is designed with the thickness over than 1.2mm, which enables it with excellent bearing capacity, nondeformed performance and strong erosion-proof ability. It will exhibit the perfect 10K mirror effect after fine grinding and keep always bright.



折弯型材工艺 Bending technology 行业独有的折弯型材工艺,坚实耐用,美观大方。

The particular bending technology in the industry will make the shower room solid, durable and elegant.



无框推拉专利

无框推拉设计,摆脱边框色彩的束缚,更易搭配, 整体观感更加强逐美观 The rimless push-and-pull design will get rid of the constraint of the colored frames. So they are easier to match and it looks to be more transparent and beautiful



精品置物架

精品置物架,内外可用,时尚、方便!满足充满

The delicate commodity shelf can be used both inside and outside. It is fashion, convenient and it can reach your individual requirements.



顺柔转轴技术 Flexible spindle technology 通过 250 万次机械开闭测试,确保开合柔和顺畅, 使用寿命长久。 It has gone through the mechanical lockage test of 2500000 to make sure that the spindle has flexible opening and losing as well as long service life. copper >20%

铝合金型材 / Aluminum alloy extrusions

高斯淋浴房所采用铝合金硬度为 12 度左右,是由高纯铝锭(含铁量< 0.1%)配方,其中铜含量较普通铝锭 高出 20% 以上,从而彰显出氧化处理后的高亮度表面的质感及饱满、调匀的色泽感。高斯淋浴房的铝材壁 厚设计一般在(1.0-4.0mm),特殊部位甚至达到 10mm,因此,承载力强,不易变形。

The hardness of the aluminum alloy used for COSO shower room is about 12 degree. It is formulated by aluminum ingot with high purity(iron content < 0.1%). Its copper content is over 20% higher than normal aluminum ingot, so as to show the texture and the rich, smooth lustre of the high-light surface after the oxidation treatment. The wall thickness of the aluminum material for COSO shower room is usually designed within 1.0-4.0mm, and even 10mm in some special parts. Therefore, it has a high bearing capacity and it is not easy to get deformed.



轨道与边柱调节 The adjusting function of th 轨道与边柱之间可以伸缩调节,免除墙壁不垂直 造成有缝隙的缺陷,使安装更简便。

It is adjustable between the railway and side column to eliminate the defects of cracks caused by non-normal wall. It is also much easier to install the shower room.




外装合页 Exterior bings 人性化外装合页设计,保证淋浴房内部平整,让 清洁变得更加轻松快捷。

The humanized exterior hinge will ensure the interior leveling of the shower room, thus making clean easier and faster.



墙夹纵横调节 The vertical and horizontal 墙夹可纵横调节,修正墙面施工误差,实现淋浴 房的最佳使用状态。 The wall clip can be adjusted vertically and horizontally to amend the construction errors on the wall, so that the shower room will be able to present the best condition.







Classic artwork inspires the heart. resplendent and unique design together with excellent techniques strikes the heart, and perfectly interprets aesthetic feeling. it is really the perfect combination of creativity and technology.




GERMAN HEALTH BATHROOM.




E1431LA





E1 SERIES






Glass thickness 10mm Material Stainless steel 玻璃厚度 10mm 材质 不锈钢

Color Mirror polish/Matte black/Brush gun grey /Brushed titanium 颜色 镜光/雅黑/拉丝枪灰/拉丝钛金 Glass thickness 10mm 玻璃厚度 10mm Material Stainless steel 材质 不锈钢


E1131LA(墙夹)

Color Mirror polish/Matte black/Brush gun grey /Brushed titanium 颜色 镜光/雅黑/拉丝枪灰/拉丝钛金



E1121LA(墙夹)





 Opening method
 Two-fixed-one-movable door (left inside and outside open)


 开门方式
 两固一活开门(左内外开)


 Standard of size
 M1=1500
 H=2100

 标准尺寸
 宽1=1500
 高=2100


 Size range
 M1=1200-2000
 H=1900-2400

 定做范围
 宽1=1200-2000
 高=1900-2400







E1121LB(边材)




Opening method	One-fixed-one-movable shaft (left inside and outside open)		
开门方式	一固一活开门(2	左内外开)	
Standard of size	M 1 = 1000	H=2100	
标准尺寸	宽1=1000	高=2100	
Size range	M1 = 900 - 1400	H=1900-2400	
定做范围	宽1=900-1400	高=1900-2400	









E1

Glass thickness 10mm Material Stainless steel 玻璃厚度 10mm 材质

不锈钢

Color Mirror polish/Matte black/Brush gun grey /Brushed titanium 颜色 镜光/雅黑/拉丝枪灰/拉丝钛金


Material Stainless steel 不锈钢

Glass thickness 10mm

 $10 \mathrm{mm}$


玻璃厚度

Color Mirror polish/Matte black/Brush gun grey /Brushed titanium 颜色 镜光/雅黑/拉丝枪灰/拉丝钛金





E1331LA(墙夹)

Opening method	Rectangular do (left open)	or	
开门方式	长方形开门(左	外开)	
Standard of size	M1 = 1200	M2=900	H=2100
标准尺寸	宽1=1200	宽2=900	高=2100
Size range	M1=1000-1600	M2=800-1300	H=1900-2400
定做范围	M 1 = 1000-1600	M2=800-1300	H=1900-2400



Diamond type flat opening (Open inside and outside) Opening method 开门方式 钻石型开门(内外开) Standard of size M1 = 550M2 = 636M3 = 550H=2100 标准尺寸 宽1=550 宽2=636 宽3=550 高=2100 Size range M1=200-1300 M2=500-900 M3=200-1300 H=1900-2400 定做范围 宽1=200-1300 宽2=500-900 宽3=200-1300 高=1900-2400






E1331LB(边材)

Opening method	Rectangular door (left direction)			
开门方式	长方形开门(左外开)			
Standard of size	M1 = 1200	M2=900	H=2100	
标准尺寸	宽1=1200	宽2=900	高=2100	
Size range	M 1 = 1000-1600	M2 = 800 - 1300	H=1900-2400	
定做范围	M 1 = 1000-1600	M2=800-1300	H=1900-2400	



E1431LA(墙夹)

Opening method	Diamond-shape (Open inside	ed shaft and outside)		
开门方式	钻石型开门(内外开)		
Standard of size	M 1 =550	M2 = 636	M3 = 550	H=2100
标准尺寸	宽1=550	宽2=636	宽3=550	高=2100
Size range	M 1 =200-1300	M2=500-900	M3=200-1300	H=1900-2400
定做范围	宽1=200-1300	宽2=500-900	宽3=200-1300	高=1900-2400




E1

Glass thickness 10mm Material Stainless steel 玻璃厚度 10mm 材质 不锈钢

Color Mirror polish/Matte black/Brush gun grey /Brushed titanium 颜色 镜光/雅黑/拉丝枪灰/拉丝钛金

Color Mirror polish/Matte black/Brush gun grey /Brushed titanium 颜色 镜光/雅黑/拉丝枪灰/拉丝钛金 Glass thickness 10mm Material Stainless steel 玻璃厚度 $10 \mathrm{mm}$ 材质 不锈钢


E1E72B(边材)



E1E72A(墙夹)


Opening	method	Е	type	flat	opening


	开门方式	"E" 形开门			
	Standard of size	M1 = 2400	M2=1000	H=2200	
I	标准尺寸	长 = 2400	宽=1000	高=2200	
	Size range	M1=2000-3000	M2=800-1500	H=1900-2400	
Ì	完做范围	上 =2000-3000	宽=800-1500	享=1000-2400	



Opening method E type flat opening

开门方式	"E" 形开门			
Standard of size	M1 = 2400	M2=1000	H=2200	
标准尺寸	长 = 2400	宽=1000	高=2200	
Size range	M1 = 2000 - 3000	M2 = 800 - 1500	H=1900-2400	
定做范围	₭ =2000-3000	宽=800-1500	高=1900-2400	








E1T52A(墙夹)

Opening method T type	e flat	opening
-----------------------	--------	---------

开门方式	"T" 形开门			
Standard of size	M1 = 2400	M2=1000	H=2200	
标准尺寸	长 = 2400	宽=1000	高=2200	
Size range	M1=2000-3000	M2 = 800 - 1500	H=1900-2400	
定做范围	长 =2000-3000	宽=800-1500	高=1900-2400	













GERMAN Health bathr

E2 SERIES

E2431LB



E2T52B





E2121LB

THE SLOW LIFE STYLE FULL OF ARTISTIC ARBITRARINESS MAKES THE GERMAN UNDERSTAND THE IMPORTANCE OF GOOD THINGS IN LIFE.

SURROUNDED BY EXQUISITE AND MAGNIFICENT BUILDINGS, FAMOUS PAINTINGS WITH DIFFERENT STYLES, BRIGHT JEWELRY AND VALUABLE LUXURY CARS... SURROUNDED BY THESE BEAUTIFUL AND EXQUISITE ENVIRONMENT, THEY CULTIVATE THEIR AESTHETIC ABILITY AND TEMPERAMENT.


E2

Glass thickness 10mm Material Stainless steel 玻璃厚度 10mm 材质 不锈钢


Color Mirror polish/Matte black/Brush gun grey /Brushed titanium 颜色 镜光/雅黑/拉丝枪灰/拉丝钛金

Glass thickness 10mm 玻璃厚度 10mm Material Stainless steel 材质 不锈钢


Color Mirror polish/Matte black/Brush gun grey /Brushed titanium 颜色 镜光/雅黑/拉丝枪灰/拉丝钛金




E2121LA(墙夹)



Opening method	Glass tOne-fixed-one-movable shaft (left inside and outside open)			
开门方式	一固一活开门(2	左方向)		
Standard of size	M1 = 1000	H=2100		
标准尺寸	宽1=1000	高=2100		
Size range	M1 = 900 - 1400	H=1900-2400		
定做范围	宽1=900-1400	高=1900-2400		




E2121LB(边材)




Opening method	One-fixed-one-movable shaft (left inside and outside open)		
开门方式	一固一活开门(2	左方向)	
Standard of size	M1 = 1000	H=2100	
标准尺寸	宽1=1000	高=2100	
Size range	M 1 =900-1400	H=1900-2400	
定做范围	宽1=900-1400	高=1900-2400	





















Glass thickness 10mm Material Stainless steel 玻璃厚度 10mm 材质 不锈钢 Color Mirror polish/Matte black/Brush gun grey/Brushed titanium 颜色 镜光/雅黑/拉丝枪灰/拉丝钛金

Glass thickness 10mm 玻璃厚度 10mm Material Stainless steel 材质 不锈钢 Color Mirror polish/Matte black/Brush gun grey/Brushed titanium 颜色 镜光/雅黑/拉丝枪灰/拉丝钛金





E2331LA(墙夹)

Opening method	Rectangular do		
开门方式	长方形开门 (左		
Standard of size	M 1=1200	M2=900	H=2100
标准尺寸	宽1=1200	宽2=900	高=2100
Size range	M 1 = 1000-1600	M2=800-1300	H=1900-2400
定做范围	宽1=1000-1600	宽2=800-1300	高=1900-2400



Opening method	Diamond-sha	aped door			
	(left direc				
开门方式	钻石型开门	(左方向)			
Standard of size	M1 = 550	M2 = 636	M3 = 550	H=2100	
标准尺寸	宽1=550	宽2=636	宽3=550	高=2100	
Size range	M 1 = 200-130	00 M2=500-	-900 M	3=200-1300	H=1900-2400
定做范围	宽1=200-130	00 宽2=500	-900 宽	3=200-1300	高=1900-2400






E2331LB(边材)

Opening method	Rectangular door			
开门方式	,	(left direction) 长方形开门 (左方向)		
Standard of size	M 1 =1200	M2=900	H=2100	
标准尺寸	宽1=1200	宽2=900	高=2100	
Size range	M 1 = 1000-1600	M2=800-1300	H=1900-2400	
定做范围	宽1=1000-1600	宽2=800-1300	高=1900-2400	



Opening method	Diamond-shaped door (left direction)				
开门方式	钻石型开门()	左方向)			
Standard of size	M 1 =550	M2 = 636	M3=550	H=2100	
标准尺寸	宽1=550	宽2=636	宽3=550	高=2100	
Size range	M1=200-1300	M2=500-900	M3=200-1300	H=1900-2400	
定做范围	宽1=200-1300	宽2=500-900	宽3=200-1300	高=1900-2400	



E2T

Glass thickness 10mm Material Stainless steel Color Mirror polish/Matte black/Brush gun grey/Brushed titanium 玻璃厚度 10mm 材质 不锈钢 颜色 镜光/雅黑/拉丝枪灰/拉丝钛金

Glass thickness 10mm 玻璃厚度 10mm

Opening method

Standard of size


开门方式

标准尺寸

Size range

定做范围


Material Stainless steel 材质 不锈钢 Color Mirror polish/Matte black/Brush gun grey/Brushed titanium 颜色 镜光/雅黑/拉丝枪灰/拉丝钛金




E2E72A(墙夹)

Opening method	"E" shaped doc	r	
开门方式	"E" 形开门		
Standard of size	M1 = 2400	M2=1000	H=2200
标准尺寸	宽1=2400	宽2=1000	高=2200
Size range	M1=2000-3000	M2=800-1500	H=1900-2400
定做范围	第1=2000-3000	第2=800-1500	高=1900-2400








E2E72B(边材)

Opening method	"E" shaped doc	or	
开门方式	"E" 形开门		
Standard of size	M1 = 2400	M2 = 1000	H=2200
标准尺寸	宽1=2400	宽2=1000	高=2200
Size range	M1=2000-3000	M2 = 800 - 1500	H=1900-2400
定做范围	宽1=2000-3000	宽2=800-1500	高=1900-2400



E2T52A(墙夹)

H=2200

高=2200

Opening method 开门方式	"T" shaped doo "T" 形开门	r	
Standard of size	M 1 =2400	M2=1000	H=2200
标准尺寸 Size range	宽1=2400	宽2=1000	高=2200
定做范围	M 1 =2000-3000 宽 1=2000-3000	M2=800-1500 宽2=800-1500	H=1900-2400 高=1900-2400

"T" shaped door

M2=1000


M1=2000-3000 M2=800-1500 H=1900-2400

宽1=2000-3000 宽2=800-1500 高=1900-2400

宽1=2400 宽2=1000

"T" 形开门

M1 = 2400



GERMAN HEALTH BATHROOM.

ULTIMATE PERFECTION.

COMFORT AND NATURE COME FROM COUNTLESS TECHNICAL SUBLIMATION, SCIENCE AND AESTHETICS HARMONIOUSLY INTEGRATE, AND HEALTHY LIFE COMES FROM ULTIMATE PERFECTION.








| GERMAN Health bathro

D1 SERIES

D1431L





玻璃厚度

Color Mirror polish/Matte black/Brush gun grey/Brushed titanium 颜色 镜光/雅黑/拉丝枪灰/拉丝钛金 Glass thickness 10mm Material Stainless steel 10mm 材质 不锈钢

Glass thickness 10mm 玻璃厚度 $10 \mathrm{mm}$

Opening method

Standard of size

开门方式


标准尺寸

Size range


定做范围

Material Stainless steel 材质 不锈钢

Color Mirror polish/Matte black/Brush gun grey/Brushed titanium 颜色 镜光/雅黑/拉丝枪灰/拉丝钛金





D1121L



Opening method	One-fixed-one-movable shaft (left inside and outside open)		
开门方式	一固一活转轴(左内	7外开)	
Standard of size	M 1 = 1000	H=2100	
标准尺寸	宽1=1000	高=2100	
Size range	M1=900-1400	H=1900-2400	
完	第1-000-1400	= −1000 − 2400	











D1131L



Opening method	Two-fixed-one-movable shaft (left inside and outside open)		
开门方式	两固一活转轴(左内	7外开)	
Standard of size	M1 = 1500	H=2100	
标准尺寸	宽1=1500	高=2100	
Size range	M 1 = 1200-2000	H=1900-2400	
完做范围	第1=1200=2000	真=1900=2400	

D1331L











C2 SERIES GERMAN HEALTH BATHROOM. HIGHLY PERSONALIZED, FASHION SENSE, SENSE OF SPACE, PERFECTLY REFLECTS THE SUBJECTIVITY OF MODERN YOUNG PEOPLE'S LIVING SPACE! C2132L

Glass thickness 10mm 玻璃厚度 10mm Mirror polish/Matte black/Brush gun grey 镜光/雅黑/拉丝枪灰 Mirror polish/Matte black/Brush gun grey 镜光/雅黑/拉丝枪灰 Material Stainless steel Color Glass thickness 10mm Material Stainless steel Color 材质 不锈钢 颜色 玻璃厚度 10mm 材质 不锈钢 颜色




C1132L





C1342L

Opening method	Rectangular linkage door (left direction)		
开门方式	长方形联动门(左方向)		
Standard of size	M1 = 1400	M2=900	H=2000
标准尺寸	宽1=1400	宽2=900	高=2000
Size range	M 1 = 1200-2500	M2=800-1300	H=1900-2200
定做范围	宽1=1200-2500	宽2=800-1300	高=1900-2200




Opening method	Linkage door (left direction)	
开门方式	联动门(左方向)	
Standard of size	M1 = 1500	H=2000
标准尺寸	宽1=1500	高=2000
Size range	M1 = 1000 - 2500	H=1900-2200
定做范围	宽1=1000-2500	高=1900-2200





C2132L

Opening method	Rectangular linkage door (left direction)			
开门方式	长方形联动门(
Standard of size	M 1 = 1400	M2=900	H=2000	
标准尺寸	宽1=1400	宽2=900	高=2000	
Size range	M 1 = 1200-2500	M2=800-1300	H=1900-2200	
定做范围	宽1=1200-2500	實2=800-1300	高=1900-2200	






ROMANTIC AND WISDOM

B2_{SERIES}







Glass thickness 10mm Mirror polish/Matte black/Brush gun grey 镜光/雅黑/拉丝枪灰 Mirror polish/Matte black/Brush gun grey 镜光/雅黑/拉丝枪灰 Material Stainless steel Glass thickness 10mm Material Stainless steel Color 玻璃厚度 10mm 材质 不锈钢 颜色 玻璃厚度 $10 \mathrm{mm}$ 材质 不锈钢 颜色




B1121L



Opening method	One-fixed-one-movable single sliding door (left direction)	
开门方式	一固一活双移门((左方向)
Standard of size	M 1 = 1500	H=2000
标准尺寸	宽1=1500	高=2000
Size range	M 1 = 1200-1800	H=1900-2200
定做范围	宽1=1200-1800	高=1900-2200



B1122



Opening method	Double sliding d	oor
开门方式	双移门	
Standard of size	M 1 = 1500	H=2000
标准尺寸	宽1=1500	高=2000
Size range	M 1 = 1200-1800	H=1900-2200
定做范围	宽1=1200-1800	高=1900-2200



Opening method Two-fixed-two-movable single sliding door

- F		
开门方式	两固两活双移门	
Standard of size	M 1 = 1600	H=2000
标准尺寸	宽1=1600	高=2000
Size range	M 1 = 1500-2200	H=1900-2200
定做范围	宽1=1500-2200	高=1900-2200

Rectangular double sliding door (left direction) 长方形双移门(左方向)

M2 = 900

M1=1200-1800 M2=800-1300 H=1900-2200

宽1=1400 宽2=900 高=2000

宽1=1200-1800 宽2=800-1300 高=1900-2200

M1 = 1400

Opening method 开门方式 Standard of size

标准尺寸

Size range

定做范围







H=2000

B1142






Glass thickness 8mm Mirror polish/Matte black/Brush gun grey 镜光/雅黑/拉丝枪灰 Mirror polish/Matte black/Brush gun grey 镜光/雅黑/拉丝枪灰 Material Stainless steel Glass thickness Material Stainless steel 玻璃厚度 8mm 材质 不锈钢 颜色 玻璃厚度 8mm 材质 不锈钢 颜色




B2121L




Opening method	One-fixed-one-m (left direction	ovable single sliding door)
开门方式	一固一活双移门	(左方向)
Standard of size	M1 = 1500	H=2000
标准尺寸	宽1=1500	高=2000
Size range	M 1 = 1200-1800	H=1900-2200
定做范围	宽1=1200-1800	高=1900-2200



B2122



Opening method	Double sliding d	oor
开门方式	双移门	
Standard of size	M 1 = 1500	H=2000
标准尺寸	宽1=1500	高=2000
Size range	M 1 = 1200-1800	H=1900-2200
完做范围	第1=1200=1800	喜=1900=2200



Two-fixed-two-movable single sliding door Opening method

opening method	IWO IIXEG CWO II	lovable sligle sliding door	
开门方式	两固两活双移门		
Standard of size	M1 = 1600	H=2000	
标准尺寸	宽1=1600	高=2000	
Size range	M1 = 1500 - 2200	H=1900-2200	
定做范围	宽1=1500-2200	高=1900-2200	

Rectangular double sliding door (left direction) 长方形双移门(左方向)

M2 = 900


宽1=1400 宽2=900 高=2000 M1=1200-1800 M2=800-1300 H=1900-2200 宽1=1200-1800 宽2=800-1300 高=1900-2200

M1 = 1400

Opening method 开门方式 Standard of size

标准尺寸


Size range 定做范围







H=2000

B2142











Glass thickness 8mm Material Aluminium alloy Color Bright silver/Matte black/Brush gun grey Glass thickness 8mm Material Aluminium alloy 玻璃厚度 8mm 材质 铝合金 颜色 亮银/雅黑/拉丝枪灰 玻璃厚度 8mm 材质 铝合金



B3121L




Opening method	One-fixed-one-m (left direction	ovable single sliding door)
开门方式	一固一活双移门	(左方向)
Standard of size	M1 = 1500	H=2000
标准尺寸	宽1=1500	高=2000
Size range	M1=1200-1800	H=2000or2200
定做范围	宽1=1200-1800	高=2000或2200



B3122



Opening method	Double sliding de	oor
开门方式	双移门	
Standard of size	M 1 = 1500	H=2000
标准尺寸	宽1=1500	高=2000
Size range	M 1 = 1200-1800	H=2000or2200
定做范围	實1=1200-1800	高=2000武2200




Bright silver/Matte black/Brush gun grey 亮银/雅黑/拉丝枪灰

Color 颜色

B3142

Opening method Two-fixed-two-movable single sliding door

- F O		
开门方式	两固两活双移门	
Standard of size	M 1 = 1600	H=2000
标准尺寸	宽1=1600	高=2000
Size range	M 1 = 1500-2200	H=2000or2200
定做范围	宽1=1500-2200	高=2000或2200






A1 SERIES





Glass thickness 8mm Material Stainless steel Color Mirror polish/Matte black/Brush gun grey 玻璃厚度 8mm 材质 不锈钢 颜色 镜光/雅黑/拉丝枪灰




A1121L



Opening method	One-fixed-one-movable single sliding door (left direction)	
开门方式	一固一活单移门	(左方向)
Standard of size	M1 = 1500	H=2000
标准尺寸	宽1=1500	高=2000
Size range	M1=1200-1800	H=1900-2200
定做范围	宽1=1200-1800	高=1900-2200




A1142




Opening method	Two-fixed-two-movable single sliding door (double door)		
开门方式	两固两活单移门()	双开门)	
Standard of size	M1 = 1600	H=2000	
标准尺寸	宽1=1600	高=2000	
Size range	M 1 = 1500-2200	H=1900-2200	
定做范围	宽1=1500-2200	高=1900-2200	





Opening method	Sector single (double door)	sliding door	
开门方式	扇形单移门(对	双开门)	
Standard of size	M 1 = 1000	M2=1000	H=2000
标准尺寸	宽1=1000	宽2=1000	高=2000
Size range	M1=800-1300	M2=800-1300	H=2000(高不能变)
定做范围	宽1=800-1300	宽2=800-1300	高=2000(高不能变)






开门方式	长方形单移门		
Standard of size	M 1 = 1400	M2=900	H=2000
标准尺寸	宽1=1400	宽2=900	高=2000
Size range	M 1 = 1200-1800	M2=800-1300	H=1900-2200
定做范围	宽1=1200-1800	宽2=800-1300	高=1900-2200

Opening method

Rectangular single sliding door



| GERMAN Health bathroon



GERMAN HEALTH BATHROOM. Calmness is the only verve of life, living outstandingly, living with elegant rhythms, resplendent clean stream flows at home . A2242


GERMAN Health bat




Glass thickness 8mm 玻璃厚度 8mm Mirror polish/Matte black/Brush gun grey 镜光/雅黑/拉丝枪灰 Mirror polish/Matte black/Brush gun grey 镜光/雅黑/拉丝枪灰 Material Stainless steel Glass thickness Material Stainless steel Color Color 材质 不锈钢 颜色 玻璃厚度 8mm 材质 不锈钢 颜色




A2121L



Opening method	One-fixed-one-movable single sliding door (left direction)		
开门方式	一固一活单移门(左方向)		
Standard of size	M 1 = 1500	H=2000	
标准尺寸	宽1=1500	高=2000	
Size range	M 1 = 1200-1800	H=1900-2200	
定做范围	宽1=1200-1800	高=1900-2200	



A2142



Opening method	Two-fixed-two-movable single sliding door (double door)		
开门方式	两固两活单移门(双开门)		
Standard of size	M1 = 1600	H=2000	
标准尺寸	宽1=1600	高=2000	
Size range	M 1=1500-2200	H=1900-2200	
定做范围	宽1=1500-2200	高=1900-2200	



Sector single sliding door (double door) 扇形单移门 (双开门)

M2=1000

宽1=1000 宽2=1000 高=2000

M1=800-1300 M2=800-1300 H=2000(高不能变)

宽1=800-1300 宽2=800-1300 高=2000(高不能变)

H=2000

M 1 = 1000


Opening method 开门方式 Standard of size

标准尺寸

Size range

定做范围





WE OFTEN DEFINE LUXURY, BUT THE REAL LUXURY IS TO SUPPORT THE GOOD CONNOTATION WITH HIGH-LEVEL APPEARANCE. NO ONE IS WILLING TO LOOK FOR YOUR INNER QUALITY FROM YOUR SLOPPY APPEARANCE", SO IS THE DESIGN OF THE SHOWER ROOM. BUT HERE, LIGHT LUXURY IS APPLIED TO THE EXTREME.

高斯淋浴房编码规则

第1位数代表开门方式

A Sliding door 单移门 B Double door 双移门 CLinkage door 联动门 DShaft door 转轴门 E shaped door

第2位数代表款式

】 First style 第一款式 2 Second style 第二款式 3 Third style 第三款式 4 Fourth style 第四款式

第3位数代表淋浴房形状

【 Zigzag screen 一字型屏风

Sector ,扇形 3 Rectangular 长方型 4 Diamond 钻石型


T Partition is added in the middle of the screen 屏风中间加隔断

E Partition shall be added between the middle and both sides of the screen 屏风中间与两侧加隔断

第7位数代表墙夹、边材可通款

A With wall clamp 配墙夹 B Sapwood 配边材

淋浴房的型号编码说明





@2022 Copyright COSO Technologie Deutschland GmbH

ZH-2022 The catalogue of **COSO** products is depended on the technological choices and the chromatic aberration that caused by the Table number: 88636488.99/26/3.9. Printed on Deutschland. Printed on the 100% anaerobic bleaching paper.

ZH-2022 德国 **COSO** 高斯产品目录·取决于技术选择和因印刷流程造成的色差 表格编号 88636488.99/26/3.9. 在德国印制. 印制在 100% 无氯漂白纸张上